Observed situation in primary care

Epidemiological surveillance bulletin for the week 28 of the year 2026, from 07/06/2026 to 07/12/2026

Sentinelles

Acute Respiratory Infection (ARI)

Covid-19, Influenza and other respiratory viruses

Low activity in general practice



Spatial interpolation map of incidence rates at department level



Incidence rates and comparison with historical data

In mainland France, last week (2026w28), the incidence rate of acute respiratory infection (ARI) cases consulting in general practice was estimated at **46 cases per 100,000 population (95% CI [41; 51])**.

Subject to future data consolidation, this rate is **stable** compared to the previous week and corresponds to a **similar activity level** to those usually observed at this time of the year (consolidated data for 2026w27: 45 [40; 49]).

ARI are caused by a variety of respiratory viruses including SARS-CoV-2 (Covid-19), influenza viruses, and other respiratory viruses such as RSV, rhinovirus and metapneumovirus.The purpose of ARI surveillance is to monitor outbreaks of these virus.

Data sources: Sentinelles, Electronic Medical Records (EMR) IQVIA

Acute diarrhea

Low activity in general practice



Spatial interpolation map of incidence rates at department level



Incidence rates and comparison with historical data

In mainland France, last week (2026w28), the incidence rate of acute diarrhea cases seen in general practice was estimated at **58 cases per 100,000 population (95% CI [52; 63])**.

Subject to future data consolidation, this rate is **stable** compared to the previous week and corresponds to a **similar activity level** to those usually observed at this time of the year (consolidated data for 2026w27: 53 [48; 58]).

The purpose of acute diarrhea surveillance is to monitor gastroenteritis outbreaks.

Data sources: Sentinelles, Electronic Medical Records (EMR) IQVIA

Chickenpox

Low activity in general practice



Spatial interpolation map of incidence rates at department level



Incidence rates and comparison with historical data

In mainland France, last week (2026w28), the incidence rate of chickenpox cases seen in general practice was estimated at **10 cases per 100,000 population (95% CI [7; 12])**.

Subject to future data consolidation, this rate is **decreasing** compared to the previous weeks and corresponds to a **lower activity level** than those usually observed at this time of the year (consolidated data for 2026w27: 13 [10; 15]).

Data sources: Sentinelles, Electronic Medical Records (EMR) IQVIA

Find more information about case definitions, statistical methods and the Sentinelles network on our website

Incidence rates by french region

Epidemiological surveillance bulletin for the week 28 of the year 2026, from 07/06/2026 to 07/12/2026

Sentinelles

Regions	Acute respiratory infection	Acute diarrhea	Chickenpox
Auvergne-Rhône-Alpes	42 [29 ; 55]	79 [62 ; 97]	9 [3 ; 15]
Bourgogne-Franche-Comté	95 [61 ; 128]	39 [18 ; 60]	5 [0 ; 10]
Bretagne	124 [90 ; 159]	69 [42 ; 96]	11 [1 ; 21]
Centre-Val de Loire	24 [5 ; 44]	57 [23 ; 90]	9 [0 ; 23]
Corse	13 [0 ; 38]	51 [1 ; 100]	0 [0 ; 0]
Grand Est	40 [24 ; 55]	62 [43 ; 81]	10 [3 ; 17]
Hauts-de-France	45 [30 ; 60]	51 [35 ; 68]	19 [9 ; 30]

Regions	Acute respiratory infection	Acute diarrhea	Chickenpox
Ile-de-France	38 [29 ; 48]	43 [33 ; 53]	6 [2 ; 10]
Normandie	29 [12 ; 47]	35 [16 ; 54]	6 [0 ; 13]
Nouvelle-Aquitaine	44 [27 ; 62]	38 [23 ; 52]	9 [2 ; 16]
Occitanie	24 [12 ; 37]	48 [28 ; 68]	12 [3 ; 21]
Pays de la Loire	24 [6 ; 42]	64 [20 ; 107]	7 [0 ; 19]
Provence-Alpes-Côte d'Azur	54 [34 ; 74]	108 [79 ; 136]	5 [0 ; 11]

Data sources : Sentinelles Network and EMR (Electronic Medical Records) IQVIA

Activity levels

- Low activity
- Moderate activity
- High activity

For the three indicators, the blue curve corresponds to the change in the incidence rate per 100,000 population for the current year. For ARI, previous years (since 2020) are shown with the grey curves. For acute diarrhea and chickenpox, the distribution of weekly incidence rates for the previous years is shown in grayed colour, with quartiles in darker and minimum/maximum values in lighter. This representation enables current trends to be compared with historical data. The value of the last point and its confidence interval are shown at the top of each graph. Different scales are used for different indicators.

Covid-19

Epidemiological surveillance bulletin for the week 28 of the year 2026, from 07/06/2026 to 07/12/2026

Sentinelles

Incidence rates of Covid-19 cases

Stable activity at a low level



Incidence rate of Covid-19 cases and comparison with historical data

Last week (2026w28), the incidence rate of **Covid-19** cases seen in general practice among patients consulting for an ARI was estimated at **2 cases per 100,000 population** (95% CI [0; 3]), corresponding to 1,140 [272; 2,008] new cases.

Subject to future data consolidation, this rate is **stable** compared to the previous week (consolidated data for 2026w27: 1 [0; 2]).

Data source: Sentinelles

Incidence rates of Covid-19 cases by age groups



Incidence rate of ARI cases due to Covid-19 by age groups

Last week (2026w28), the incidence rates of **Covid-19** cases seen in general practice among patients consulting for an ARI were estimated at:

- **0-14 years**: 2 cases per 100,000 population (95% CI [0; 4]) (consolidated data for 2026w27: 2 [0; 6]);

- **15-64 years**: 1 case per 100,000 population (95% CI [0; 3]) (consolidated data for 2026w27: 1 [0; 2]);

- **65 years and above**: 2 cases per 100,000 population (95% CI [0; 5]) (consolidated data for 2026w27: 1 [0; 3]).

Subject to future data consolidation, these rates are **stable in all age groups** compared to those of the previous week.

Data source: Sentinelles

In conclusion

Last week (2026w28), subject to future data consolidation, the incidence of **Covid-19** cases seen in general practice among patients consulting for an ARI was **stable** compared to the previous weeks.

Covid-19 activity has remained at **very low levels for several months**, the lowest observed since 2020. The incidence rates are estimated at 10 or less cases per 100,000 population since early November 2025.

The number of described Covid-19 cases being very low, we are not able to publish a relevant description of these cases.

Find more information about case definitions, statistical methods and the Sentinelles network on our website

General organization and partners

Sentinelles

Surveillance organisation

Under the aegis of Santé publique France, surveillance in general practice in mainland France is moving towards the integration and joint analysis of data from different networks.

The epidemiological surveillance data published in this bulletin come from several complementary networks of general physicians:

- The Sentinelles network, coordinated by the Institut Pierre Louis of Epidemiology and Public Health (iPLESP) under the supervision of Sorbonne University and Inserm;

- and the EMR (Electronic Medical Records) database, managed by IQVIA.

During the enhanced respiratory infection surveillance season (September to April), data are also collected from physicians in the network coordinated by the general medicine departments of the Universities of Rouen, Côte d'Azur and Strasbourg.

All these collected data are analysed jointly. They provide more reliable on a finer geographical scale, while limiting consolidation from one week to the next.

Current monitoring concerns nine health indicators, with three of them being published each week in this bulletin;

You can find more information about the organization of this surveillance, the number of participating physicians, the methods used, scientific publications and partnerships on the Sentinelles network website: www.sentiweb.fr .

Information and contacts

The Sentinelles team is composed of epidemiologists, statisticans, physicians, IT specialists and technicians.

Head of the Sentinelles network
Olivier Steichen, Thierry Blanchon

IT Biostatistics
Clément Turbelin

Epidemiological Surveillance and Studies
Marion Debin

Publication
Yves Dorléans

CONTACT US

06 64 84 66 62

sentinelles@upmc.fr

IPLESP UMR-S 1136
Faculté de Santé Sorbonne Université
Site Saint-Antoine, BC 2908
27, rue Chaligny
75571 Paris Cedex 12

Partners and supervisory bodies

Partners

Sentinelles IQVIA

Santé publique France — Liberté • Égalité • Fraternité, République Française, Ministère des Solidarités et de la Santé

SOS MÉDECINS

Università di Corsica Pasquale Paoli — HCL Hospices Civils de Lyon — Institut Pasteur

CNR virus des gastro-entérites, Dijon, France — CNGE Collège Académique

Université de Rouen Normandie — Université Côte d'Azur — Université de Strasbourg

Supervisory bodies of Sentinelles network

iPLesp — Inserm, La science pour la santé / From science to health — Santé Sorbonne Université

French General Practionner or Paediatrician ?

Get involved in research and health monitoring in primary care by joining the Sentinelles network (become a Sentinelles doctor) !

THERE IS ALSO GENERAL POPULATION MONITORING

grippe covid net

Join the participatory cohort for monitoring Covid-19 and influenza by registering at https://www.grippenet.fr

You don't need to be a healthcare professional to take part!